Page 1 of 12

FORM PTO - 1449

SUPPLEMENTAL THORMATION DISCLOSURE

MAR 0 2 2006

APPLICANT(S): Gillies et al.

ATTORNEY DOCKET NO.: LEX-023

SERIAL NO.: 10/737,208

CONF. NO.: 6855

FILING DATE: December 16, 2003 GROUP: 1647

Ä	18	8	U.S. PA	TENT DOCUMENTS	<u> </u>	·	
EXAM. INIT.		NT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROPRIATE
	A114	4,522,811	6/1/85	Eppstein et al.			
	A115	4,667,016	5/19/87	Lai et al.			· ·
	A116	4,732,683	3/22/88	Georgiades et al.			
	A117	4,737,462	4/12/88	Mark et al.			
	A118	4,975,369	12/4/90	Beavers et al.			
	A119	5,082,658	1/21/92	Palladino			···
	A120	5,091,513	2/25/92	Huston et al.			
	A121	5,399,346	3/21/95	Anderson et al.			
	A122	5,428,130	6/27/95	Capon et al.			
	A123	5,480,981	1/2/96	Goodwin et al.			
	A124	5,589,466	12/31/96	Felgner et al.			
	A125	5,614,184	3/25/97	Sytkowski et al.			
	A126	5,712,120	1/27/98	Rodriguez et al.			
	A127	5,738,852	4/14/98	Robinson et al.			
	A128	5,795,779	8/18/98	McCormick			
	A129	5,827,703	10/27/98	Debs et al.			···
	A130	5,837,821	11/17/98	Wu et al.			· · · · · · · · · · · · · · · · · · ·
	A131	6,281,010	8/28/01	Gao et al.			
	A132	6,291,158	9/18/01	Winter et al.		-	
	A133	6,627,615	9/30/03	Debs et al.			

COPY

Express Mail EV668186211US Mailing Label No.

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

			FOR	EIGN PATEN	r docum	ENTS			
EXAM INIT.		DOCUMENT NUMBER	DATE	COUNTR Y CODE	CLASS	SUB CLAS S	FILING DATE	ABSTRAC T ONLY	ENGLISH LANG (Y/N)
	B108	0 428 267 B1	12/11/96	EP					Y
-	B109	0 428 596 B1	4/17/96	EP					Y
	B110	0 433 827 B1	3/4/98	EP					Y
	B111	0 519 596 A1	12/23/92	EP					Y
	B112	0 668 351 B1	9/22/99	EP					Y
	B113	0 699 755 A2	3/6/96	EP					Y
	B114	2 188 638	10/7/87	GB					Y
	B115	WO 92/10755	6/25/92	PCT					Y
	B116	WO 94/25609	11/10/94	PCT					Y
	B117	WO 96/40792	12/19/96	PCT					Y
	B118	WO 00/01822	1/13/00	PCT					Y
	B119	WO 02/074783	9/26/02	PCT ·					Υ



i		
	EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



		FILING DATE: December 16, 2003 GROUP: 1647
EXAM. INIT.	OTHER	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C262	Aichele et al., (1994), "Peptide-Induced T-Cell Tolerance to Prevent Autoimmune Diabetes in a Transgenic Mouse Model," Proc. Natl. Acad. Sci. USA, 91:444-448.
	C263	Altschul et al., (1990), "Basic Local Alignment Search Tool," J. Mol. Biol., 215:403-10.
	C264	Altschul et al., (1997), "Gapped BLAST and PSI-BLAST: A New Generation of Protein Database Search Programs," Nucleic Acids Res., 25(17):3389-3402.
	C265	Anderson et al., (1980), "Characterization of the Fc Receptor for IgG on a Human Macrophage Cell Line U937," J. Immunol., 125(6):2735-41.
	C266	Anderson et al., (1994), "Effects of Route and Formulation on Clinical Pharmacokinetics of Interleukin-2," Clin. Pharmacokinet., 27(1):19-31.
	C267	Baici et al., (1980), "Kinetics of the Different Susceptibilities of the Four Human Immunoglobulin G Subclasses to Proteolysis by Human Lysosomal Elastase," Scand. J. Immunol. 12(1):41-50.
	C268	Barbulescu et al., (1998), "IL-12 and IL-18 Differentially Regulate the Transcriptional Activity of the Human IFN-γ Promoter in Primary CD4+ T Lymphocytes," J. Immunol., 160:3642-7.
	C269	Bednarek et al., (1991), "Soluble HLA-A2.1 Restricted Peptides that are Recognized by Influenza Virus Specific Cytotoxic T Lymphocytes," J. Immunol. Methods, 139:41-47.
	C270	Benacerraf et al., (1959), "The Clearance of Antigen Antibody Complexes from the Blood by the Reticulo-Endothelial System," <u>J. Immunol.</u> , 82:131-7.
	C271	Böhm, (1994), "On the Use of LUDI to Search the Fine Chemicals Directory for Ligands of Proteins of Known Three-Dimensional Structure," J. Comput. Aided Mol. Des., 8:623-32.
	C272	Böhm, (1994), "The Development of a Simple Empirical Scoring Function to Estimate the Binding Constant for a Protein-Ligand Complex of Known Three-Dimensional Structure," J. Comput. Aided Mol. Des., 8(3):243-56.
	C273	Böhm, (1998), "Prediction of Binding Constants of Protein Ligands: A Fast Method for the Prioritization of Hits Obtained from De Novo Design or 3D Database Search Programs," J. Comput. Aided Mol. Des., 12(4):309-23.
	C274	Boshart et al., (1985), "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell, 41:521-530.
	C275	Boulianne et al., (1984), "Production of Functional Chimaeric Mouse/Human Antibody," Nature, 312:643-6.
	C276	Bourgois et al., (1974), "Determination of the Primary Structure of a Mouse IgG2a Immunoglobulin Amino Acid Sequence of the Fc Fragment: Implications for the Evolution of Immunoglobulin Structure and Function," <u>Eur. J. Biochem.</u> , 43:423-35.
	C277	Brambell et al., (1964), "A Theoretical Model of γ-Globulin Catabolism," Nature, 203:1352-55.
	C278	Brazolot Millan et al., (1998), "Cpg DNA Can Induce Strong TH1 Humoral and Cell-Mediated Immune Responses against Hepatitis B Surface Antigen in Young Mice," Proc. Natl. Acad. Sci. USA, 95:15553-8.

EXAMINER	DATE CONSIDERED	

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



EXAM. INIT.	OTHER	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C279	Brekke et al., (1994), "Human IgG Isotype-Specific Amino Acid Residues Affecting Complement-Mediated Cell Lysis and Phagocytosis," Eur. J. Immunol., 24:2542-2547.
	C280	Brem et al., (1993), "The Combination of Antiangiogenic Agents to Inhibit Primary Tumor Growth and Metastasis," J. Pediatr. Surg., 28(10):1253-7.
	C281	Brocklebank et al., (2001), "Enumeration of CD34+ Cells in Cord Blood: A Variation on a Single-Platform Flow Cytometric Method Based on the ISHAGE Gating Strategy," Cytometry, 46:254-261
	C282	Brooks et al., (1983), "CHARMM: A Program for Macromolecular Energy Minimization and Dynamics Calculations," J. Comput. Chemistry, 4:187–217.
	C283	Broudy et al., (1988), "Recombinant Human Erythropoietin: Purification and Analysis of Carbohydrate Linkage," Arch. Biochem. Biophys., 265:329-36.
	C284	Bubenik et al., (1995), "Interleukin-2 Gene Therapy of Residual EL-4 Leukaemia Potentiates the Effect of Cyclophosphamide Pretreatment," J. Cancer Res. Clin. Oncol., 121:39-43.
	C285	Bumol et al., (1982), "Unique Glycoprotein-Proteoglycan Complex Defined by Monoclonal Antibody on Human Melanoma Cells," Proc. Natl. Acad. Sci. USA, 79:1245-9.
	C286	Carnemolla et al., (1989), "A Tumor-Associated Fibronectin Isoform Generated by Alternative Splicing of Messenger RNA Precursors," J. Cell. Biol., 108:1139-1148.
	C287	Carnemolla et al., (1992), "The Inclusion of the Type III Repeat ED-B in the Fibronectin Molecule Generates Conformational Modifications that Unmask a Cryptic Sequence," J. Biol. Chem., 267(34):24689-24692.
	C288	Casadevall, et al., (2002) "Pure Red-Cell Aplasia and Antierythropoietin Antibodies in Patients Treated with Recombinant Erythropoietin," The New Eng. School of Medicine, 346:469-75.
	C289	Cazzola et al., (1998), "Red Blood Cell Precursor Mass as an Independent Determinant of Serum Erythropoietin Level," <u>Blood</u> , 91:2139-45.
	C290	Chan et al., (1992), "Mechanisms of IFN-y Induction by Natural Killer Cell Stimulatory Factor (NKSF/IL-12). Role of Transcription and mRNA Stability in the Synergistic Interaction Between NKSF and IL-2," J. Immunol., 148:92-98.
	C291	Chappel et al., (1991), "Identification of the Fc Gamma Receptor Class I Binding Site In Human IgG Through Use of Recombinant IgG1/IgG2 Hybrid and Point-Mutated Antibodies," Proc. Natl. Acad. Sci. USA, 88(20):9036-40.
	C292	Cheetham, (1998), "NMR Structure of Human Erythropoietin and a Comparison with its Receptor Bound Conformation," Nat. Struct. Biol., 5:861-6.
	C293	Ciardiello et al., (1996), "Antitumor Activity of Combined Blockade of Epidermal Growth Factor Receptor and Protein Kinase A," J. Natl. Cancer Inst., 88:1770-6.
	C294	Cirulli et al., (1998), "KSA Antigen Ep-CAM Mediates Cell-Cell Adhesion of Pancreatic Epithelial Cells: Morphoregulatory Roles in Pancreatic Islet Development," J. Cell Biol., 140:1519-34.
	C295	Cohen et al., (1998), "An Artificial Cell-Cycle Inhibitor Isolated from a Combinatorial Library," Proc. Natl. Acad. Sci. USA, 95:14272-7.

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



		FILING DATE: December 10, 2003 GROUP: 1047
EXAM. INIT.	OTHER I	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C296	Congote et al., (1984), The Erthrotropins, New Erythroid Cell Stimulate Factors Extracted From Human and Bovine Fetal Tissues," Abstract 364, "Proceedings 7th Intl. Congress of Endocrinology," Quebec City, Quebec, July 1-7, 1984.
	C297	Congote, (1983), "Isolation of Two Biologically Active Peptides, Erythrotropin I and Erythrotropin II from Fetal Calf Intestine," <u>Biochem. Biophys. Res. Commun.</u> , 115(2):477-83.
	C298	Congote, (1984), "Extraction from Fetal Bovine Serum of Erythrotropin, an Erythroid Cell-Stimulating Factor," Anal. Biochem., 140:428-33.
	C299	Connor et al., (2004), "Ex vivo Evaluation of Anti-EpCAM Immunocytokine huKS-IL2 in Ovarian Cancer," J. Immunotherapy, 27:211-219.
	C300	Cosenza et al., (1997), "Disulfide Bond Assignment in Human Interleukin-7 by Matrix-Assisted Laser Desorption/Ionization Mass Spectroscopy and Site-Directed Cysteine to Serine Mutational Analysis," <u>J. Biol. Chem.</u> , 272:32995-3000.
	C301	Cunningham et al., (1989), "High-Resolution Epitope Mapping of hGH-Receptor Interactions by Alanine-Scanning Mutagenesis," Science, 244:1081-85.
	C302	Curiel et al., (1991), "Adenovirus Enhancement of Transferrin-Polylysine-Mediated Gene Delivery," Proc. Natl. Acad, Sci. USA, 88:8850-4.
	C303	Dauber-Osguthorpe et al., (1988), "Structure and Energetics of Ligand Binding to Proteins: Escherichia Coli Dihydrofolate Reductase-Trimethoprim, A Drug-Receptor System," Proteins, 4:31-47.
	C304	Daugherty et al., (1991), "Polymerase Chain Reaction Facilities the Cloning, CDR-Grafting, and Rapid Expression of a Murine Monoclonal Antibody Directed Against the CD18 Component of Leukocyte Integrins," Nucleic Acid Res., 19:2471-2476.
•	C305	De Bruijn et al., (1995), "Phagocyte-Induced Antigen-Specific Activation of Unprimed CD8+ T Cells in Vitro," Eur. J. Immunol., 25:1274-85.
	C306	Delorme et al., (1992), "Role of Glycosylation on the Secretion and Biological Activity of Erythropoietin," <u>Biochemistry</u> , 31:9871-6.
	C307	Desai et al., (1992), "IL-12 Receptor. II. Distribution and Regulation of Receptor Expression," J. Immunol., 148:3125-32.
	C308	Dillman et al., (1994), "Human Anti-Mouse Antibody Response in Cancer Patients Following Single Low-Dose Injections of Radiolabeled Murine Monoclonal Antibodies," Cancer Biotherapy, 9:17-28.
	C309	Donnelly et al., (1993), "Targeted Delivery of Peptide Epitopes to Class I Major Histocompatibility Molecules by a Modified Pseudomonas Exotoxin," Proc. Natl. Acad. Sci. USA, 90:3530-4.
	C310	Donnelly et al., (1997), "DNA Vaccines," Annu. Rev. Immunol., 15:617-48.
	C311	Dube et al., (1988), "Glycosylation at Specific Sites of Erythropoietin is Essential for Biosynthesis, Secretion, and Biological Function," J. Biol. Chem., 263:17516-21.
	C312	Ellison et al., (1982), "The Nucleotide Sequence of a Human Immunoglobulin C γ ₁ Gene," <u>Nucleic Acids</u> Res., 10:4071-9.

EXAMINER	DATE CONSIDERED


SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855



EV A MENIOD	n and colicination		
EXAMINER	DATE CONSIDERED		- 1
	= 1		- 1



SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

FILING DATE: December 16, 2003 GROUP: 1647

EXAM. INIT.	OTHER	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)
	C330	Hulett et al., (1994), "Molecular Basis of Fc Receptor Function," Adv. Immunol., 57:1127.
	C331	Huston et al., (1988), "Protein Engineering of Antibody Binding Sites: Recovery of Specific Activity in an Anti-Digoxin Single-Chain Fv Analogue Produced In Escherichia Coli," Proc. Natl. Acad. Sci. USA, 85:5879-5883.
	C332	Investigator's Brochure 2004, Pages 6-10, 34 and 35.
	C333	Jacobs et al., (1985), "Isolation and Characterization of Genomic And cDNA Clones of Human Erythropoietin," Nature, 313:806-10.
	C334	Jefferis et al., (1990), "Molcular Definition of Interaction Sites on Human IgG for Fc Receptors huFcγR," Mol. Immunol., 27(12):1237-1240.
-	C335	Karlin et al., (1990), "Methods for Assessing the Statistical Significance of Molecular Sequence Features by Using General Scoring Schemes," Proc. Natl. Acad. Sci. USA, 87:2264-8.
	C336	Karlin et al., (1993), "Applications and Statistics for Multiple High-Scoring Segments in Molecular Sequences," Proc. Natl. Acad. Sci. USA, 90:5873-7.
	C337	Karpusas et al., (1997), "The Crystal Structure of Human Interferon β at 2.2-A Resolution," Proc. Natl. Acad. Sci. USA, 94:11813-11818.
	C338	Kelner et al., (1994), "Lymphotactin: A Cytokine that Represents a New Class of Chemokine," Science, 266:1395-9.
	C339	Kirkman et al., (1989), "Prolongation of Cardiac Allograft Survival in Murine Recipients Treated with a Diphtheria Toxin-Related Interleukin-2 Fusion Protein," <u>Transplantation</u> , 47(2):327-330.
	C340	King et al., (2004), "Phase I Clinical Trial of the Immunocytokine EMD 273063 in Melanoma Patients," J. Clin. Oncol., 22(22):4463-73.
	C341	Klinman et al., (1997), "Contribution of CpG Motifs to the Immunogenicity of DNA Vaccines," <u>J. Immunol.</u> , 158:3635-9.
	C342	Ko et al., (2004), "Safety, Pharmacokinetics, and Biological Pharmacodynamics of the Immunocytokine EMD 273066 (huKS-IL2)," <u>J. Immunotherapy</u> , 27:232-239.
-	C343	Kuntz et al., (1982), "A Geometric Approach to Macromolecule-Ligand Interactions," J. Mol. Biol., 161:269-88.
	C344	Kurtz, (1982), "A New Candidate for the Regulation of Erythropoiesis. Insulin-Like Growth Factor I," FEBLAL, 149(1):105-8.
	C345	Lai et al., (1986), "Structural Characterization of Human Erythropoietin," J. Biol. Chem., 261:3116-21.
_	C346	Lai et al., (1998), "DNA Vaccines," Crit. Rev. Immunol., 18:449-84.
	C347	Lanza et al., (1993), "Active Immunity against the CD4 Receptor by Using an Antibody Antigenized with Residues 41-55 of the First Extracellular Domain," Proc, Natl, Acad. Sci. USA, 90:11683-7.
	C348	Lawn et al., (1981), "DNA Sequence of a Major Human Leukocyte Interferon Gene," Proc. Natl. Acad.

EXAMINER	DATE CONSIDERED	

Sci. USA, 78:5435-9.

FORM PTO – 1449

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023


APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)		
	C349	Lin et al., (1985), "Cloning and Expression of the Human Erythropoietin Gene," Proc. Natl. Acad. Sci. USA, 82:7580-4.	
	C350	Lin et al., (1986), "Monkey Erythropoietin Gene: Cloning, Expression and Comparison with the Human Erythropoietin Gene," Gene, 44:201-9.	
	C351	Lode et al., (1998), "Gene Therapy with a Single Chain Interleukin 12 Fusion Protein Induces T Cell-Dependent Protective Immunity in a Syngeneic Model of Murine Neuroblastoma," Proc. Natl. Acad. Sci.USA , 95:2475-80.	
	C352	Lorenz et al., (1999), "Induction of Anti-Tumor Immunity Elicited by Tumor Cells Expressing a Murine LFA-3 Analog Via a Recombinant Vaccinia Virus," <u>Hum. Gene Ther.</u> , 10:623-31.	
	C353	Lotze et al., (1996), "Cytokine Gene Therapy of Cancer Using Interleukin-12: Murine and Clinical Trials," Ann. NY Acad. Sci., 795:440-54.	
	C354	Macdougall, et al., (2002), "Optimizing the Use of Erythropoietic Agents – Pharmacokinetic and Pharmacodynamic Considerations," Nephol. Dial. Transplant, 17(5):66-70.	
	C355	MacLean et al., (1996), "Enhancing the Effect of Theratope STn-KLH Cancer Vaccine in Patients with Metastatic Breast Cancer by Pretreatment with Low-Dose Intravenous Cyclophosphamide," <u>J. Immunother.</u> , 19(4):309-316.	
	C356	Maghazachi et al., (1997), "Interferon-Inducible Protein-10 and Lymphotactin Induce the Chemotaxis and Mobilization of Intracellular Calcium in Natural Killer Cells through Pertussis Toxin-Sensitive and Insensitive Heterotrimeric G-Proteins," FASEB J., 11:765-74.	
	C357	Maloy et al., (2001), "Regulatory T Cells in the Control of Immune Pathology," 2(9):816-822.	
	C358	Mariani et al., (1997), "Tumor Targeting Potential of the Monoclonal Antibody BC-1 against Oncofetal Fibronectin in Nude Mice Bearing Human Tumor Implants," Cancer, 80:2378-84.	
	C359	Marshall et al., (1994), "Role of the Polymorphic Residues in HLA-DR Molecules in Allele-Specific Binding of Peptide Ligands," J. Immunol., 152:4946-57.	
	C360	Marshall et al., (1995), "Prediction of Peptide Affinity to HLA-DR Molecules," <u>Biomed. Pept. Proteins Nucleic Acids</u> , 1(3):157-62.	
	C361	Martin et al., (2001), "Crystal Structure at 2.8 A of an FcRn/Heterodimeric Fc Complex: Mechanism of pH-Dependent Binding," Molecular Cell, 7:867-877.	
	C362	McDonald, (1986), "Cloning, Sequencing, and Evolutionary Analysis of the Mouse Erythropoietin Gene," Mol. Cell. Biol., 6:842-8.	
	C363	McGonigle et al., (1984), "Erythropoietin Deficiency and Inhibition of Erythropoiesis in Renal Insufficiency," Kidney Int., 25(2):437-44.	
	C364	McMahan et al., (1991), "A Novel IL-1 Receptor, Cloned From B-Cells by Mammalian Expression is Expressed in Many Cell Types," EMBO J., 10:2821-32.	
	C365	McMahon et al., (1990), "Pharmacokinetics and Effects of Recombinant Human Erythropoietin after Intravenous and Subcutaneous Injections in Healthy Volunteers," <u>Blood</u> , 76:1718-22	

EXAMINER	DATE CONSIDERED



ATTORNEY DOCKET NO.: LEX-023

C366 Mehrotra et al., (1993), "Effects of IL-12 on the Generation of Cytotoxic Activity in Human CD8+ T Lymphocytes," J. Immunol., 151:2444-52. C367 Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300. C368 Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.	
C366 Mehrotra et al., (1993), "Effects of IL-12 on the Generation of Cytotoxic Activity in Human CD8+ T Lymphocytes," J. Immunol., 151:2444-52. C367 Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300. C368 Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.	9(O)A
C366 Mehrotra et al., (1993), "Effects of IL-12 on the Generation of Cytotoxic Activity in Human CD8+ T Lymphocytes," J. Immunol., 151:2444-52. C367 Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300. C368 Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.	
C366 Mehrotra et al., (1993), "Effects of IL-12 on the Generation of Cytotoxic Activity in Human CD8+ T Lymphocytes," J. Immunol., 151:2444-52. C367 Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300. C368 Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.	
Lymphocytes," J. Immunol., 151:2444-52. C367 Menard et al., (1983), "Generation of Monoclonal Antibodies Reacting with Normal and Cancer Cells of Human Breast," Cancer Res., 43:1295-300. C368 Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.	
Human Breast," Cancer Res., 43:1295-300. C368 Miyake et al., (1977), "Purification of Human Erythropoietin," J. Biol. Chem., 252:5558-64.	
	of
C369 Miyake et al., (1988), "Synthesis of Recombinant Human Single-Chain Urokinase-Type Plasminogen Activator Variants Resistant to Plasmin and Thrombin," <u>J. Biochem.</u> , 104:643-647.	
C370 Morrison et al., (1984), "Chimeric Human Antibody Molecules: Mouse Antigen-Binding Domains with Human Constant Region Domains," Proc. Natl. Acad. Sci. USA, 81:6851-5.	1
C371 Nagao et al., (1992), "Nucleotide Sequence of Rat Erythropoietin," Biochim. Biophys. Acta, 1171(1):99	9-
C372 Naramura et al., (1994), "Mechanisms of Cellular Cytotoxicity Mediated by a Recombinant Antibody-IL2 Fusion Protein Against Human Melanoma Cells," Immunology Letters, 39:91-99.	
C373 Nastala et al., (1994), "Recombinant IL-12 Administration Induces Tumor Regression in Association with IFN-γ Production," J. Immunol., 153:1697-706.	
C374 Naughton et al., (1983), "Evidence for an Erythropoietin-Stimulating Factor in Patients with Renal and Hepatic Disease," Acta. Haemat., 69:171-9.	
Neal et al., (2004), "Enhanced Activity of Hu14.18-IL2 Immunocytokine against Murine NXS2 Neuroblastoma when Combined with Interleukin-2 Therapy," Clin. Cancer. Res., 10:4839-4847.	
Nelles <i>et al.</i> , (1987), "Characterization of Recombinant Human Single Chain Urokinase-Type Plaminogen Activtor Mutants Produced by Site-Specific Mutagenesis of Lysine 158," <u>J. Biol. Chem.</u> , 262(12):5682-5689.	
C377 Noguchi et al., (1994), "A Mouse Mutant P53 Product Recognized by CD4+ and CD8+ T Cells," Proc. Natl. Acad. Sci. USA, 91:3171-5.	
C378 Orlandi et al., (1989), "Cloning Immunoglobulin Variable Domains for Expression by the Polymerase Chain Reaction," Proc. Natl. Acad. Sci. USA, 86:3833-7.	
C379 Palmer et al., (2001), "Phase I Study of the BLP 25 (MUC1 Peptide) Liposomal Vaccine for Active Specific Immunotherapy in Stage IIIB/IV Non-Small-Cell Lung Cancer," Clinical Lung Cancer, 3(1):49 57.	l <u>.</u>
C380 Palucka et al., (1998), "Dendritic Cells as the Terminal Stage of Monocyte Differentiation," J. Immunol. 160:4587-95.	27
C381 Panina-Bordignon et al., (1989), "Universally Immunogenic T Cell Epitopes: Promiscuous Binding to Human MHC Class II and Promiscuous Recognition by T Cells," Eur. J. Immunol., 19:2237-42	
Pavlović-Kentera et al., (1980), "Effects of Prostaglandin Synthetase Inhibitors, Salt Overload and Renomedullary Dissection on the Hypoxia Stimulated Erythropoietin Production in Rats," Exp. Hematol8 (Supp. 8):283-92.	

1		
	EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE **STATEMENT**

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208 CONF. NO.: 6855

|--|


			FILING DATE: December 16, 2003 GROUP: 1647
EXAM. INIT.			tle, Date, Relevant Pages, Place of Publication)
	C383	Pedley et al. (1999), "Enhancement o Xenografts by an Antivascular Agent,	f Antibody-Directed Enzyme Prodrug Therapy in Colorectal "Cancer Res., 59:3998-4003.
-	C384	the Proliferation of TCR-αβ+, TCR-γδ+ T Lymphocytes, and NK Cells," J. Immunol., 149:3495-502.	
	C385		
	C386		nction of Several Anti-Dansyl Chimeric Antibodies Formed by n IgM and Mouse IgG2b," <u>J. Biol. Chem.</u> , 270:8571-7.
	C387	Queen et al., (1989), "A Humanized A Acad. Sci. USA, 86:10029-33.	Antibody that Binds to the Interleukin 2 Receptor," Proc. Natl.
	C388	Radhakrishnan et al., (1996), "Zinc M Crystallography," <u>Structure</u> 4(12):145	lediated Dimer of Human Interferon- α_{2b} Revealed by X-Ray 3-63.
	C389	Ramachandran et al., (1968)"Conform 294.	nation of Polypeptides and Proteins," Adv. Prot. Chem., 23:283-
	C390	Rarey et al., (1995), "Time-Efficient I Int, Conf. Intell, Syst. Mol. Biol. 3:300	Docking of Flexible Ligands into Active Sites Of Proteins," Proc. 0-8.
	C391	Resegotti <i>et al.</i> , (1981), "Treatment of Aplastic Anaemia with Methenolone, Stanozolol and Nandrolo A Report of 130 Cases," <u>Pan. Med.</u> , 23:243-8.	
C392 Riechmann et al., (1988), "Reshaping Human Antibodies for Therapy," Nature, 332:323-7.		Human Antibodies for Therapy," Nature, 332:323-7.	
	C393	Composition Mutagenesis," Proc. Natl. Acad. Sci. USA, 95:5929-34.	
	C394		
	C395 Runkel et al., (1998), "Structural and Functional Differences Between Glycosylated and Non-Glycosylated Forms of Human Interferon-B (IFN-B)," Pharmaceutical Res., 15:641-649.		
	C396	Complete Immunoglobin Heavy-Chain Genes," Nature, 286:676-683. Săli et al., (1993), "Comparative Protein Modelling by Satisfaction of Spatial Restraints," J. Mol. Biol., 234:779-815.	
	C397		
	C398		
	C399 Senior et al., (2000), "Cleavage of a Recombinant Human Immunoglobulin A2 (igA2)-IgA1 Hybrid Antibody by Certain Bacterial IgA1 Proteases," Infect. Immun., 68(2):463-9. C400 Sharp et al., (1988), "Codon Usage Patterns in Escherichia coli, Bacillus subtilis, Saccharomyces cerevisiae, Schizosaccharomyces pombe, Drosophila melanogaster and Homo sapiens; a Review of the Consdierable Within-Species Diversity," Nucleic Acids Res., 16(17):8207-8211.		
			e, Drosophila melanogaster and Homo sapiens; a Review of the
EXAMIN	ER		DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208



		FILING DATE: December 16, 2003 GROUP: 1647	
EXAM. INIT.	OTHER	DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)	
	C401	Simonsen et al., (1983), "Isolation and Expression of an Altered Mouse Dihydrofolate Reductase cDNA, Proc. Natl. Acad. Sci. USA, 80:2495-2499.	
	C402	Smith et al., (1981), "Identification of Common Molecular Subsequences," J. Mol. Biol., 147:195-197.	
	C403	Soligo et al., (1998), "Expansion of Dendritic Cells Derived from Human CD34+ Cells in Static And Continuous Perfusion Cultures," Br. J. Haematol., 101:352-63.	
	C404	Spivak et al., (1989), "The In Vivo Metabolism of Recombinant Human Erythropoietin in The Rat," Blood, 73:90-9.	
	C405	Sturniolo et al., (1999), "Generation of Tissue-Specific and Promiscuous HLA Ligand Databases Using DNA Microarrays and Virtual HLA Class II Matrices," Nat. Biotech., 17(6):555-61.	
	C406	Suliman et al., (1996), "Cloning of a cDNA Encoding Bovine Erythropoietin and Analysis of Its Transcription in Selected Tissues," Gene, 171:275-80.	
	C407	Takahashi et al., (2000), "Immunologic Self-Tolerance Maintained by CD25+ CD4+ Regulatory T Cells Constitutively Expressing Cytotoxic T Lymphocyte-Associated Antigen 4," <u>J. Exp. Med.</u> , 192(2):303-309.	
	C408	Takai, (2002), "Roles of Fc Receptors in Autoimmunity," Nature, 2:580-592.	
	C409	Taniguchi et al., (1980), "Expression of the Human Fibroblast Interferon Gene in Escherichia Coli," Proc. Natl. Acad. Sci. USA, 77:5230-5233.	
	C410	Thurner, (1999), "Generation of Large Numbers of Fully Mature and Stable Dendritic Cells from Leukapheresis Products for Clinical Application," J. Immunol. Methods, 223:1-15.	
·	C411	Tiruppathi et al., (1996), "Isolation and Characterization of a Cell Surface Albumin-Binding Protein from Vascular Endothelial Cells," Proc. Nat. Acad. Sci. USA, 93:250-4.	
	C412	Van Den Eynde et al., (1989), "Presence on a Human Melanoma of Multiple Antigens Recognized By Autologous CTL," Int. J. Cancer, 44:634-40.	
	C413	Van Der Bruggen et al., (1991), "A Gene Encoding an Antigen Recognized by Cytolytic T Lymphocytes on a Human Melanoma," <u>Science</u> , 254:1643-7.	
	C414	Van Heyningen et al., (1982), "Human MHC Class II Molecules as Differentiation Markers," Immunogenetics , 16:459-69.	
	C415	Voest et al., (1995), "Inhibition of Angiogenesis in Vivo by Interleukin 12," J. Natl. Canc. Inst., 87:581-6.	
	C416	Von Heijne et al., (1986), "A New Method for Predicting Signal Sequence Cleavage Sites," <u>Nucleic Acid Res.</u> , 14:4683-4690.	
	C417	Ward et al., (1995), "The Effector Functions of Immunoglobulins: Implications for Therapy," Therapeutic. Immunology, 2:77-94.	
	C418	Watson et al., (1984), "Compilation of Published Signal Sequences," Nucleic Acid Res., 12:5145-5164.	

EXAMINER	DATE CONSIDERED

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

ATTORNEY DOCKET NO.: LEX-023

APPLICANT(S): Gillies et al.

SERIAL NO.: 10/737,208

CONF. NO.: 6855

FILING DATE: December 16, 2003 GROUP: 1647



EXAM. INIT.	OTHER DOCUMENTS: (Including Author, Title, Date, Relevant Pages, Place of Publication)	
	C419	Weitkamp et al., (1973), "Additional Data on the Population Distribution of Human Serum Albumin Genes; Three New Variants," Ann. Hum. Genet., 37:219-26.
	C420	Wetzel et al., (2001), "BAY50-4798, an Interleukin-2 (IL-2) Variant, Demonstrates Selective Activation of Human and Chimpanzee T Cells Relative to NK Cells but Shows Less Selectivity for T Cells from Monkeys and Rodents," 2001 ASCO Annual Meeting.
	C421	Woof et al., (1986), "Localisation of the Monocyte-Binding Region on Human Immunoglobulin G," Mol. Immunol., 23:319-30.
	C422	Wyatt et al., (1998), "The Antigenic Structure of the HIV gp120 Envelope Glycoprotein," Nature, 393:705-11.
	C423	Wysocka et al., (1995), "Interleukin-12 is Required for Interferon-γ Production and Lethality in Lipopolysaccharide-Induced Shock in Mice," <u>Eur. J. Immunol.</u> , 25:672-6.
	C424	Yan et al., (1996), "Characterization of an Ig VH Idiotope that Results in Specific Homophilic Binding and Increased Avidity for Antigen," J. Immunol., 157:1582-8.
	C425	Yeh et al., (1992), "Design of Yeast-Secreted Albumin Derivatives for Human Therapy: Biological and Antiviral Properties of a Serum Albumin-CD4 Genetic Conjugate," Proc. Natl. Acad. Sci. USA, 89:1904-8.
	C426	Zhang et al., (1994), "Structure/Activity Analysis of Human Monocyte Chemoattractant Protein-1 (MCP-1) by Mutagenesis," J. Biol. Chem., 269:15918-24.
	C427	Zhu et al., (2001), "MHC Class I-Related Neonatal Fc Receptor for IgG Is Functionally Expressed in Monocytes, Intestinal Macrophages, and Dendritic Cells," J. Immunol., 166:3266-3276.
	C428	Zuckier et al., (1998), "Chimeric Human-Mouse IgG Antibodies with Shuffled Constant Region Exons Demonstrate that Multiple Domains Contribute to In Vivo Half-Life," Cancer Res., 58(17):3905-8.

844634

EXAMINER	DATE CONSIDERED